



**FENESTRAM 11025
ON METAL UHF RFID TAG**

110 x 25 x 13 mm
2 holes Ø 4.9 mm
865...868 MHz (EU)
902...928 MHz (US)
ISO/IEC18000-6C

Product:	Very Rugged UHF RFID TAG for Easy Mounting on METAL by screw or cable tie	
EPC CLASS 1 GEN 2 UHF RFID Chip Options:	Standard-Version:-> Impinj Monza 4QT, EPC 96 bits up to 128 bits, User Memory 512 bits Other chip versions are available on request -> needs new TAG development	
Read Range:	Stationary Reader: up to 8 m Handheld Reader: up to 4 m	(Depends on RFID IC type and reader power)
Frequencies:	EU: 865...868 MHz US: 902 MHz...928 MHz	(At room temperature 20°C)
Dimensions / Weight:	(110 x 25 x 12.85 mm, 2 holes Ø 4.9 mm)	26 g
Material / Colour:	ABS rugged version.	Grey (other colours on request)
Protection Class:	IP68	
Minimum Order Quantity:	1000 pieces	Minimum Production Lot: 1000 pcs
Operating- / Storage-Temperature:	-20°C ...+ 85°C	-20°C ...+ 85°C
Certification / Other:	ATEX Version is also available	RoHS ✓
Part Description:	FENESTRAM-11025-OMT-GY-UHF-M4QT-EU	US Version on request as -US

arfidex GmbH | Adlerstraße 2 | D-63322 Rödermark | Germany | Phone: +49 (0) 6074 861930

www.arfidex.de | info@arfidex.de

© arfidex makes no warranty, representation, or guarantee regarding the information contained herein or the suitability of its products and services for any particular purpose, nor does arfidex assume any liability whatsoever arising out of the application or use of any product or circuit. The products sold hereunder and any other products sold by arfidex have been subject to limited testing and should not be used in conjunction with mission-critical equipment or applications. Any performance specifications are believed to be reliable but are not verified, and Buyer must conduct and complete all performance and other testing of the products, alone and together with, or installed in, any end-products. Buyer shall not rely on any data and performance specifications or parameters provided by arfidex. It is the Buyer's responsibility to independently determine suitability of any products and to test and verify the same. The information provided by arfidex hereunder is provided "as is, where is" and with all faults, and the entire risk associated with such information is entirely with the Buyer. arfidex does not grant, explicitly or implicitly, to any party any patent rights, licenses, or any other IP rights, whether with regard to such information itself or anything described by such information. Information provided in this document is proprietary to arfidex, and arfidex reserves the right to make any changes to the information in this document or to any products and services at any time without notice.




**FENESTRAM 11025
ON METAL UHF RFID TAG**


110 x 25 x 13 mm
2 holes Ø 4.9 mm
865...868 MHz (EU)
902...928 MHz (US)
ISO/IEC18000-6C

Radiation Patterns

On Metal



On Plastic



arfidex GmbH | Adlerstraße 2 | D-63322 Rödermark | Germany | Phone: +49 (0) 6074 861930

www.arfidex.de | info@arfidex.de


© arfidex makes no warranty, representation, or guarantee regarding the information contained herein or the suitability of its products and services for any particular purpose, nor does arfidex assume any liability whatsoever arising out of the application or use of any product or circuit. The products sold hereunder and any other products sold by arfidex have been subject to limited testing and should not be used in conjunction with mission-critical equipment or applications. Any performance specifications are believed to be reliable but are not verified, and Buyer must conduct and complete all performance and other testing of the products, alone and together with, or installed in, any end-products. Buyer shall not rely on any data and performance specifications or parameters provided by arfidex. It is the Buyer's responsibility to independently determine suitability of any products and to test and verify the same. The information provided by arfidex hereunder is provided "as is, where is" and with all faults, and the entire risk associated with such information is entirely with the Buyer. arfidex does not grant, explicitly or implicitly, to any party any patent rights, licenses, or any other IP rights, whether with regard to such information itself or anything described by such information. Information provided in this document is proprietary to arfidex, and arfidex reserves the right to make any changes to the information in this document or to any products and services at any time without notice.



FENESTRAM 11025 ON METAL UHF RFID TAG

110 x 25 x 13 mm
2 holes Ø 4.9 mm
865...868 MHz (EU)
902...928 MHz (US)
ISO/IEC18000-6C

Options:

- Other colour version available.
- Different Frequency Versions (UHF) country/region versions on request
- Customised laser printing
- Customised logo printing
- Serial Number printing
- UID Number printing
- Adhesive back sticker foil
-  ATEX certified version for Hazardous Area is available on request.

This FENESTRAM passive (battery-less) UHF RFID transponder is used by system integrators or endusers to identify all kind of equipment in industrial harsh environment.

Applications:

- Asset Management
- Container
- Industrial ID
- Inventory & Logistics
- Laundry Roll Cage
- Maintenance and Service
- Metal Object Identification
- Your application

arfidex GmbH | Adlerstraße 2 | D-63322 Rödermark | Germany | Phone: +49 (0) 6074 861930

www.arfidex.de | info@arfidex.de

© arfidex makes no warranty, representation, or guarantee regarding the information contained herein or the suitability of its products and services for any particular purpose, nor does arfidex assume any liability whatsoever arising out of the application or use of any product or circuit. The products sold hereunder and any other products sold by arfidex have been subject to limited testing and should not be used in conjunction with mission-critical equipment or applications. Any performance specifications are believed to be reliable but are not verified, and Buyer must conduct and complete all performance and other testing of the products, alone and together with, or installed in, any end-products. Buyer shall not rely on any data and performance specifications or parameters provided by arfidex. It is the Buyer's responsibility to independently determine suitability of any products and to test and verify the same. The information provided by arfidex hereunder is provided "as is, where is" and with all faults, and the entire risk associated with such information is entirely with the Buyer. arfidex does not grant, explicitly or implicitly, to any party any patent rights, licenses, or any other IP rights, whether with regard to such information itself or anything described by such information. Information provided in this document is proprietary to arfidex, and arfidex reserves the right to make any changes to the information in this document or to any products and services at any time without notice.